

Coding Reference Guide Measurement Year 2025
 Immunizations for Adolescents (IMA-E)



Measure Description

Members 13 years of age who had each of the following immunizations:

1. **Meningococcal (MenACWY)**
 One immunization on or between the 10th and 13th birthday
2. **Tetanus, Diphtheria Toxoids, and Acellular Pertussis (Tdap)**
 One immunization on or between the 10th and 13th birthday
3. **Human Papillomavirus (HPV)**
 - 2-Dose Series: Two HPV immunizations with dates of service \geq 146 days apart, on or between the ninth and 13th birthdays
 - 3-Dose Series: Three HPV immunizations with different dates of service, on or between the ninth and 13th birthdays

Meningococcal Serogroup A, C, W, Y, B Immunization
 Either of the following meet the criteria:

One Meningococcal Immunization with Vaccine Procedure on or between 10th and 13th Birthday	MenACWYB Immunization CVX: 32, 108, 114, 136, 147, 167, 203, 316
	MenACWY Vaccine Procedure CPT: 90619, 90623, 90733, 90734
	SNOMED: 871874000, 428271000124109, 16298691000119102
Anaphylaxis Due to Meningococcal Vaccine Any Time on or before 13th Birthday	SNOMED: 428301000124106

Tetanus, Diphtheria Toxoids and Acellular Pertussis (Tdap) Immunization	
Any of the following meet the criteria:	
One Tdap Immunization with Vaccine Procedure on or between 10th and 13th Birthday	Tdap Vaccine CVX: 115
	Tdap Vaccine Procedure: CPT: 90715 SNOMED: 390846000, 412755006, 412756007, 412757003, 428251000124104, 571571000119105
Anaphylaxis Due to Tdap Vaccine Any Time on or before 13th Birthday	SNOMED: 428281000124107, 428291000124105
Encephalitis Due to Tdap Vaccine Any Time on or before 13th Birthday	SNOMED: 192710009, 192711008, 192712001
HPV	
Any of the following meet the criteria:	
2- or 3-dose HPV Immunization Series with Vaccine Procedure on or between 9th and 13th Birthday For 2-dose dates of service must be at least 146 days apart	HPV Immunization (2- or 3-Dose) CVX: 62, 118, 137, 165
	HPV Vaccine Procedure CPT: 90649, 90650, 90651
	SNOMED: 428741008, 428931000, 429396009, 717953009, 724332002, 734152003, 761841000, 1209198003
Anaphylaxis Due to HPV Vaccine Any Time on or before 13th Birthday	SNOMED: 428241000124101

The following will exclude Members from this measure:	
--	--

Hospice Encounter During 2025	HCPCS: G9473, G9474, G9475, G9476, G9477, G9478, G9479, Q5003, Q5004, Q5005, Q5006, Q5007, Q5008, Q5010, S9126, T2042, T2043, T2044, T2045, T2046
	SNOMED: 183919006, 183920000, 183921001, 305336008, 305911006, 385765002
	UBREV: 0115, 0125, 0135, 0145, 0155, 0235, 0650, 0651, 0652, 0655, 0656, 0657, 0658, 0659
Hospice Intervention During 2025	CPT: 99377, 99378
	HCPCS: G0182
	SNOMED: 170935008, 170936009, 385763009
Members who died any time during 2025	

Tips and Best Practices to Help Improve Performance

- Assess immunization needs at each clinical encounter such as sick visits, follow-up visits, well-child visits, annual/sports physicals, weight checks, etc.
- Ensure that immunization records include all vaccine doses that were administered at other locations such as hospitals or county health departments
 - Include the names of all former providers, contraindications or allergies and date, immune status such as history of disease and titers
- Document and date all parent/guardian vaccine refusals in the immunization record; continue to educate and discuss the importance of adolescent immunizations at every encounter
- Establish office procedures to help eliminate missed opportunities to vaccinate, such as:
 - Enter vaccinations in your regional Immunization Information System (NYSIIS)
 - Track missed vaccines and review your practice immunization rates
 - Send appointment confirmations to parents/guardians using postcards, phone calls, texts, emails, or patient portal
 - Consider extending office hours or adding weekend hours to conduct vaccine clinics
 - Reschedule appointments for those who did not show up for a vaccine visit
 - Schedule the child's next appointment at the end of every office visit
- Utilize the monthly Gaps in Care (GIC) report for a list of MVP Members who are due for preventive care services
- Consider utilizing alerts and flags within the electronic health record (EHR)
- Discuss the importance of early detection and encourage preventive care
- Document preventive care in the medical record with specific date and results
- Document medical and surgical history in the medical record and include dates
- Submit results to your local Regional Health Information Organization (RHIO)
- Use correct diagnosis and procedure codes and submit claims and encounter data in a timely manner
- Stock patient areas and exam rooms with educational materials such as those found here:
 - **Vaccines and Immunizations | CDC**
 - **Pregnancy and Family - MVP Health Care**